



Anacostia Waterfront

Kenilworth Avenue Corridor Study

PREPARED FOR

District Department of Transportation



PREPARED BY

STV Incorporated

EDAW / AECOM

Toole Design Group

May, 2007

THIS PAGE LEFT BLANK INTENTIONALLY

Contents

Table of Contents	i				
List of Figures	ii				
Executive Summary	ES-1				
Chapter 1 – Introduction					
1.1 Background	1-1	2.6.7 Traffic Counts	2-17	3.7.1 A New Park Road	3-21
1.2 Study Area	1-1	2.6.8 Traffic Operations	2-19	3.7.2 Analysis of Park Road Options	3-22
1.3 Goals and Objectives	1-2	2.6.9 Traffic Safety	2-20	3.7.3 A New Massachusetts Avenue Crossing	3-23
1.4 Study Process	1-3	2.7 Transit Service	2-21	3.7.4 Analysis of Massachusetts Avenue	
1.5 Other Studies and Projects	1-3	2.7.1 Metrorail	2-21	Crossing Options	3-23
1.6 Public Involvement	1-4	2.7.2 Metrobus	2-21		
Chapter 2 – Existing Characteristics					
2.1 Regional Context and Function	2-2	2.7.3 Streetcar and Trolley Service	2-21	Chapter 4 - Kenilworth Avenue Corridor Plan	
2.2 Local Context	2-3	2.7.4 Bus Rapid Transit/Other Transit Plans	2-21	4.1 Urban Design	4-2
2.2.1 Environmental Features	2-3			4.2 Vehicular Circulation	4-4
2.2.2 Land Uses	2-4	Chapter 3 – Options to Enhance the Corridor		4.3 Pedestrian and Bicycle Circulation	4-6
2.3 Urban Design	2-8	3.1 Option No. 1 - Kenilworth Avenue as a Boulevard	3-2	4.4 Summary of Projects	4-7
2.3.1 Visual Experience of Motorists	2-8	3.2 Option No. 2 – Kenilworth Avenue as a			
2.4 Overview of Pedestrian, Bicycle and		Four-Lane Avenue	3-4	Chapter 5 – Near-Term Improvements	
Vehicular Connectivity	2-10	3.3 Option No. 3 – Kenilworth Avenue with Improved		5.1 Introduction	5-1
2.5 Pedestrian and Bicycle Experience	2-11	Infrastructure	3-6	5.2 Improvement Projects	5-2
2.5.1 Pedestrian and Bicycle Counts	2-11	3.4 Screening Analysis of Options 1,2 and 3	3-8		
2.6 Existing Infrastructure & Traffic Conditions	2-12	3.4.1 Overview of Analysis	3-8	Chapter 6 – Mid-Term Improvements	
2.6.1 Functional Classification and Importance	2-13	3.5 Summary of Options	3-9	6.1 Introduction	6-1
2.6.2 Description of Infrastructure	2-14	3.6 Further Development of Option 3	3-10	6.2 Improvement Projects	6-2
2.6.3 Roadway Lighting	2-14	3.6.1 Interchange Concepts for Option 3	3-10		
2.6.4 Guide Signage	2-14	3.6.2 East Capitol Street Interchange	3-10	Chapter 7 – Long-Term Improvements	
2.6.5 Operational Characteristics	2-15	3.6.3 Benning Road Interchange	3-13	7.1 Introduction	7-1
2.6.6 Other Major Roadways in the Study Area	2-16	3.6.4 Nannie Helen Burroughs Avenue Interchange	3-16	7.2 Improvement Projects	7-2
		3.6.5 Eastern Avenue Interchange	3-17		
		3.6.6 Analysis of Option 3 for Year 2030	3-18	Chapter 8 – Implementation Plan	
		3.6.7 Evaluation of Option 3 with Safety and Interchange		8.1 Introduction	8-1
		Improvements	3-19	8.2 Near-Term Improvement Projects	8-1
		3.6.8 Traffic Management Alternatives	3-20	8.3 Mid-Term Improvement Projects	8-3
		3.6.9 ITS Alternatives	3-20	8.4 Long-Term Improvement Projects	8-4
		3.7 Additional Study Areas	3-21	8-5 Implementation Timeline for Project Improvements	8-6



Appendices

Appendix A	Public Involvement Material	A-i
Appendix B	Pedestrian Data	B-i
Appendix C	Transit Data	C-i
Appendix D	Traffic Data	D-i
Appendix E	Implementation of Pedestrian Improvements	E-i
Appendix F	Cost Estimates	F-i

List of Figures

Figure ES.1:	Study Area
Figure ES.2:	Summary of Improvements
Figure ES.3:	Near-Term Projects
Figure ES.4:	Mid-Term Projects
Figure ES.5:	Long-Term Projects
Figure 1.1:	Regional Context
Figure 1.2:	Study Area Neighborhoods
Figure 1.3:	DC Department of Transportation Studies
Figure 1.4:	Public Meetings
Figure 2.1:	Kenilworth is a major commuter route between Washington DC and its Maryland suburbs
Figure 2.2:	Environmental features adjacent to Kenilworth Avenue
Figure 2.3:	Generalized Land Use within the Study Area (Source: DCOP)
Figure 2.4:	Community Amenities and Attractions
Figure 2.5:	Existing Zoning
Figure 2.6:	From an open and green setting to the south, Kenilworth Avenue transitions into a more urban character to the north of East Capitol Street
Figure 2.7:	Visual character along Kenilworth Avenue
Figure 2.8:	Kenilworth Avenue is in an alignment that is diagonal to the adjacent local street pattern
Figure 2.9:	Historic Roadway Alignments in the Area (1822, 1865 and 1885)
Figure 2.10:	Kenilworth Avenue traverses four underpasses and eight overpasses
Figure 2.11:	Location of Pedestrian and Bicycle Counts Conducted
Figure 2.12:	Roadway Classification
Figure 2.13:	Existing Allowed Movements at Intersections along Kenilworth Avenue
Figure 2.14:	Average Daily Traffic Volumes on Major Roadways that connect to Kenilworth Avenue
Figure 2.15:	Average speed along northbound Kenilworth Avenue
Figure 2.16:	Average speed along southbound Kenilworth Avenue
Figure 2.17:	Crash data for years 2001, 2002 between Kenilworth Avenue interchanges and at five signalized intersections adjacent to the corridor
Figure 3.1:	Option 1 - Transforming Kenilworth Avenue into a Boulevard
Figure 3.2:	Typical Plan for a boulevard (tree lind shoulders and medians)
Figure 3.3:	Typical Cross Section Between Pennsylvania Avenue and East Capitol Street
Figure 3.4:	Typical Cross Section Between East Capitol Street and Eastern Avenue
Figure 3.5:	Option 2 - Transform Kenilworth Avenue from a six-lane to a four-lane limited access roadway
Figure 3.6:	Typical Plan for a four-lane roadway (landscaped medians and reinforced green shoulders)
Figure 3.7:	Typical Cross Section Between Pennsylvania Avenue and East Capitol Street (landscaped medians and reinforced grass shoulders)

Figure 3.8:	Typical Cross Section Between East Capitol Street and Eastern Avenue (Four-lane roadway with landscaped medians and reinforced grass shoulders)	Figure 5.1:	Near-Term Improvements
Figure 3.9:	Option 3 - Maintain Kenilworth Avenue as a freeway with enhancements and depressing portions to allow connections across the corridor	Figure 5.2:	East Capitol Street Scenario EC-1
Figure 3.10:	Typical Plan (Option 3 - Depressing portions of Kenilworth Avenue)	Figure 5.3:	Plan between Nannie Helen Burroughs and Eastern Avenue
Figure 3.11:	Typical Cross Section Between Pennsylvania Avenue and East Capitol Street (Option 3 - Depressing portions of Kenilworth Avenue)	Figure 5.4:	Cross Section A (Two lane Kenilworth Avenue with green shoulder and landscaped median)
Figure 3.12:	Typical Cross Section Between East Capitol Street and Eastern Avenue (Kenilworth Avenue depressed to provide new connection)	Figure 5.5:	Cross Section B (Three lane Kenilworth Avenue with landscaping between the mainline and service lanes, and a landscaped median)
Figure 3.13:	Existing Conditions at the East Capitol Street Interchange	Figure 5.6:	Landscape Improvements
Figure 3.14:	Scenario EC-1 (Completes all movement for traffic on East Capitol Street)	Figure 5.7:	Pedestrian and Bicycle Related Improvements
Figure 3.15:	Scenario EC-2 (Permits full movement at the East Capitol Street interchange)	Figure 5.8:	Roadway and Lighting Improvements
Figure 3.16:	Scenario EC-3 (Permits full movement at the East Capitol Street interchange)		
Figure 3.17:	Scenario EC-4 (Provides for all traffic movements and for east and west pedestrian and bicycle movements beneath Kenilworth Avenue)	Figure 6.1:	Mid-Term Improvements
Figure 3.18:	Scenario EC-5 (This SPUI scenario provides for all traffic movements and for east and west pedestrian and bicycle movements beneath Kenilworth Avenue)	Figure 6.2:	East Capitol Street Interchange Scenario EC-2
Figure 3.19:	Benning Road Existing Conditions Along Kenilworth Avenue(below Benning Bridge)	Figure 6.3:	Examples of Neighborhood Identification Signs
Figure 3.20:	Scenario BR-1 (Provides for safety improvements at the eastbound Benning Road at-grade intersection with northbound Kenilworth Avenue)	Figure 6.4:	Examples of Pedestrian Bridge that could be applicable
Figure 3.21:	Scenario BR-2 (New connection from southbound Kenilworth Avenue to eastbound Benning Road, and westbound Benning Road to southbound Kenilworth Avenue)	Figure 6.5:	Location of Pedestrian Bridge across Minnesota Avenue Metrorail Station
Figure 3.22:	Scenario BR-3 (New center-leg ramp to the south of the Benning Road bridge)	Figure 6.6:	Concept Plan for the proposed Parkside Development
Figure 3.23:	Scenario BR-4 (Benning Road Bridge reconstructed as a split structure to improve vehicular, pedestrian and bicycle safety)	Figure 6.7:	Concept Illustration of the proposed Minnesota Avenue Government Center
Figure 3.24:	Scenario BR-5 (Allows for all movements through a new interchange located south of the existing bridge)	Figure 6.8:	Potential new pedestrian bridge at Douglas Street
Figure 3.25:	Proposed interchange at Nannie Helen Burroughs Avenue	Figure 6.9:	Location of Pedestrian Bridge at Douglas Street
Figure 3.26:	Eastern Avenue Existing Conditions	Figure 6.10:	Proposed Improvements to slip ramps near Eastern Avenue
Figure 3.27:	Scenario EA-1 (Existing U-turn ramps are removed and replaced with landscaped areas and improved pedestrian amenities)	Figure 6.11:	Simulated view of a “gateway” sign at the Eastern Avenue Bridge
Figure 3.28:	Scenario EA-2 (U-turn ramps moved further out from the intersection)	Figure 6.12:	Proposed improvements at the Eastern Avenue Bridge
Figure 3.29:	Proposed Safety Improvements	Figure 6.13:	Benning Road Scenario BR-1
Figure 3.30:	Park Road Alignment	Figure 6.14:	Proposed pedestrian and bicycle related improvements
Figure 3.31:	Reservation 13 to Randle Circle Connection		
Figure 3.32:	Park-to-Park Connection		
Figure 4.1:	Corridor Plan	Figure 7.1:	Long-Term Improvements
Figure 4.2:	Corridor Beautification Framework Plan	Figure 7.2:	East Capitol Street Improvement Scenario EC-4
Figure 4.3:	Proposed Kenilworth Avenue between Pennsylvania Avenue and South Capitol Street	Figure 7.3:	East Capitol Street Improvement Scenario EC-5
Figure 4.4:	Proposed Kenilworth Avenue between East Capitol Street and Eastern Avenue	Figure 7.4:	Benning Road Improvement Scenario BR-5
Figure 4.5:	Cross-Section located between Pennsylvania Avenue and East Capitol Street	Figure 7.5:	Potential connection between Nash Street and Olive Street if Kenilworth Avenue is depressed
Figure 4.6:	Cross-Section located between South Capitol Street and Eastern Avenue	Figure 7.6:	New Connector at either Nash Street or Ord Street
Figure 4.7:	Vehicular Circulation Framework Plan	Figure 7.7:	Park Road
Figure 4.8:	Pedestrian and Bicycle Circulation Framework Plan	Figure 7.8:	Massachusetts Avenue Connecetion
Figure 4.9:	Summary of Projects		

THIS PAGE LEFT BLANK INTENTIONALLY